


Passaic River Lower 8 Miles
**Focused Feasibility
Study Alternatives**

February 8, 2011



Lower 8 Mile Action Overview

Focused Feasibility Study (FFS) develops alternatives & evaluates them against 9 criteria

Proposed Plan lays out a preferred alternative for public comment

After response to comments, Record of Decision chooses one alternative

Focused Feasibility Study (FFS)

Scope of alternatives is 8 miles, bank-to-bank.

FFS evaluates 3 alternatives

No Action

▮ Deep Dredging

▮ Capping with Some Dredging

↑↓ “Active
Alternatives”

Active alternatives have 3 disposal options

Off-site disposal

CAD in Newark Bay

Local decontamination & beneficial use

Deep Dredging with Backfill

Remove all fine silts in lower 8 miles using:

Mechanical dredging; or
Hydraulic dredging

Backfill

Two feet of sand to minimize residuals

No maintenance required

Monitored natural recovery

Capping with Some Dredging ^(1 of 2)

Dredge some depth of silt to:

Prevent additional flooding

Allow for navigation channel


Engineered Cap over lower 8 miles:

Two feet of sand everywhere

Another two feet of stone (armor) in some places

Maintenance in the future

Monitored natural recovery



(2 of 2)


Capping with Some Dredging

Navigation Channel



River Mile	Authorized Depth [ft]	Current Depth [ft]		Proposed Depth [ft] in Capping Alternative
		Controlling	Average	
0.0-1.2	30	14	19	30
1.2-2.6	30	4	15	RM 1.2-1.7 = 25 RM 1.7-2.2 = 20 RM 2.2-2.6 = none *
2.6-4.6	20	4	12	none *
4.6-7.1	16	7	13	none *
7.1-8.1	16	8.7	12.6	none *

* No maintained channel. Cap will be at current depth or minimum 10ft.

Disposal Option: Off-Site



Courtesy of John Hemmington, Hemmington Environmental Services, Inc.




<http://www.christmas-shopping.com.au/thomas-and-friends-gordon.html>

Water Treatment Plant

Disposal Option: CAD in Newark Bay

(1 of 2)





Disposal Option: CAD in Newark Bay (2 of 2)




Disposal Option: Local Decontamination

(1 of 2)



Water Treatment Plant



Disposal Option: Local Decontamination

(2 of 2)

Thermal treatment

Pilot: Endesco Cement-Lock

Beneficial end-product: material to make cement

Sediment washing

Pilot: Biogenesis

Beneficial end-product: material to make topsoil

A Start to Comparing Alternatives

	Volume Dredged	Years of Dredging/ Capping	Nav. Channel	Resus- pension (dredging)	Long Term	Cost
No Action	0	N/ A	No change	No change	N/ A	N/ A
Deep Dredging	11 mil cubic yds	7 yrs	Restore to Authorized	6 times current	Monitoring	\$1.3- 3.0 billion
Capping with Some Dredging	4.2 mil cubic yds	5 yrs	Partially restore in lower 2 mi	2 times current	Monitoring & Maintenance	\$0.8- 1.5 billion

ADD MORE COLUMNS AS DISCUSSION PROGRESSES...

A Start to Comparing Disposal Options

	Upland Acres Needed	Subaqueous Acres Needed	Transportation	Local Air Emissions	Water Quality Impact
Off-Site	Dredging=50 acres for 9 yrs	None	Trucks and trains	Impact from transport	Minimal?
	Capping=30 acres for 7 yrs				
CAD	None	Dredging=200 acres for 9 yrs	None	Minimal	Being Evaluated
		Capping=80 acres for 7 yrs			
Local Decon.	Dredging=70 acres for 9 yrs	None	Trucks and trains for end-product	Impact from thermal & transport	Minimal?
	Capping=40 acres for 7 yrs				

ADD MORE COLUMNS AS DISCUSSION PROGRESSES...

FFS Evaluation Against Nine Criteria


Overall protection of human health & the environment

Compliance with ARARs


- Long-term effectiveness & permanence
- Reduction of toxicity, mobility, volume through treatment
- Short-term effectiveness
- Implementability
- Cost

State Acceptance


Community Acceptance



Threshold



Balancing



Modifying
(after Proposed Plan)

Schedule

Winter 2010-11:

- Finish technical work

- Consult with Stakeholders

Spring 2011:

- Reviews by EPA national groups

Summer-Fall 2011:

- Final Focused Feasibility Study

- Proposed Plan for 60 day public comment period

Action Items (1 of 2)

Post presentation on web site

Add column to table for jobs created

Provide information on # jobs created at other Superfund sites.

EPA needs to brief elected officials: mayor & city council

Newark/ Kearny/ Harrison/ Jersey City/ Bayonne/ others

Consider draft bill on front of Newark City Council on rezoning river front.

Need to reach out to NYSDEC trustee related to CAD as one disposal option.

Action Items (2 of 2)

Consider environmental justice and cumulative impacts in calculations of risks & costs.

What contamination will be at surface after dredging is done for capping alternative?

Develop cost analysis that includes actions in perpetuity.

Look at disposal options around country and internationally beyond what has already been identified.

Questions

Are there other dioxin contaminated tidal rivers in country? How are they being cleaned up?

Provide locations of off-site disposal facilities.

How will contaminated materials that come out of CAD (to construct it) be managed? Need on-land storage for it?

How will thermal decon technology deal with metals?

Are resuspension estimates for mechanical or hydraulic dredging?